

PRODUCTS - CATALOGUE

ORFLAX

MULTISTRAND WIRE (90 MTR.)

Pvc Insulated Copper Conductor Multistrand Wires 1100 Volts IS :694 : 2010				
S.No.	Normal Area Of Conductor (Sq. mm.)	No. & Dimension (In mm.)	Rate (In Rs.) Per 90 Mtrs.	Pkg. (Coils)
1	0.75	24/0.2	1265.00	24
2	1.00	14/0.3	1660.00	20
3	1.50	22/0.3	2499.00	16
4	2.50	36/0.3	4030.00	12
5	4.00	56/0.3	6160.00	8
6	6.00	84/0.3	9150.00	8
7	10.00	140/0.3	15200.00	6

MULTISTRAND WIRE (45 MTR.)

Pvc Insulated Copper Conductor Multistrand Wires 1100 Volts IS :694 : 2010				
S.No.	Normal Area Of Conductor (Sq. mm.)	No. & Dimension (in mm.)	Rate (In Rs.) Per 45 Mtrs.	Pkg. (Coils)
1	0.75	24/0.2	635.00	32
2	1.00	14/0.3	835.00	32
3	1.50	22/0.3	1255.00	32
4	2.50	36/0.3	2020.00	24
5	4.00	56/0.3	3090.00	24

MULTICORE ROUND FLEXIBLE WIRE

S.No.	Normal Area Of Conductor (Sq. Mm.)	2 Core (90 mtrs) Rate (in Rs.)	Pkg. (Coils)	3 Core (90 mtrs) Rate (in Rs.)	Pkg. (Coils)	4 Core (90 mtrs) Rate(in Rs.)	Pkg. (Coils)
8	23/60	2330.00	8	3400.00	8	6
9	40/60	3700.00	6	5455.00	6	6
10	0.50	2450.00	6	3550.00	6	4525.00	6
11	0.75	3490.00	6	4910.00	6	6260.00	6
12	1.00	3935.00	5	5790.00	4	7460.00	4
13	1.50	5850.00	5	8660.00	4	10980.00	4
14	2.50	9190.00	4	13580.00	4	18150.00	4
15	4.00	14400.00	4	21050.00	4	27550.00	4
16	6.00	21060.00	4	31270.00	4	40865.00	4

ALUNIMIUM ROUND CABLE MULTIPLE CONDUCTOR

PVC Insulated Aluminium Industrial Cable with Multiple Conductor 1100 Volts IS : 694 : 2010								
S. No.	Normal Area Of Conductor (Sq. Mm.)	No. & Dimension (in mm.)	2 Core (100 mtrs) Rate (in Rs.)	Pkg. (Coils)	3 Core (100 mtrs) Rate (in Rs.)	Pkg. (Coils)	4 Core (100 mtrs) Rate (in Rs.)	Pkg. (Coils)
38	2.50	7/0.67	2075.00	4	2735.00	4	3575.00	4
39	4.00	7/0.82	2660.00	4	3975.00	4	4655.00	4
40	6.00	7/1.45	4800.00	4	6450.00	4	7925.00	4
41	10.00	7/1.35	6345.00	2	9045.00	2	11655.00	2
42	16.00	7/1.70	10310.00	2	13778.00	2	17630.00	2

SUMERSIBLE WIRE

S.NO.	Normal Area Of Conductor (Sq.Mm.)	No. & Dimension (in mm.)	Current Carrying Capacity Rating (Amp.)	Rate (in Rs.) Per 100 Mtrs.	Pkg. (Coils)
17	1.50	22/0.3	16	9435.00	4
18	2.50	36/0.3	22	14740.00	4
19	4.00	56/0.3	29	22360.00	4
20	6.00	84/0.3	38	32070.00	2
21	10.00	140/0.3	51	52410.00	2

ALUNIMIUM ROUND CABLE MULTIPLE CONDUCTOR

PVC Insulated Aluminium Industrial Cable with Multiple Conductor 1100 Volts IS : 694 : 2010								
S. No.	Normal Area Of Conductor (Sq. Mm.)	No. & Dimension (in mm.)	2 Core (100 mtrs) Rate (in Rs.)	Pkg. (Coils)	3 Core (100 mtrs) Rate (in Rs.)	Pkg. (Coils)	4 Core (100 mtrs) Rate (in Rs.)	Pkg. (Coils)
38	2.50	7/0.67	2075.00	4	2735.00	4	3575.00	4
39	4.00	7/0.82	2660.00	4	3975.00	4	4655.00	4
40	6.00	7/1.45	4800.00	4	6450.00	4	7925.00	4
41	10.00	7/1.35	6345.00	2	9045.00	2	11655.00	2
42	16.00	7/1.70	10310.00	2	13778.00	2	17630.00	2

PARALLEL FLAT CABLE

PVC Insulated Cable with Copper Conductor						
SNo.	Normal Area Of Conductor (Sq. Mm.)	No. & Dimension (in mm.)	Rate (in Rs.)Per 45 Mtrs	Pkg (Coil)	Rate (in Rs.) Per 90 Mtrs.	Pkg. (Coils)
46	23/52	23/60	960.00	30	1900.00	20
47	40/52	40/60	1520.00	30	3030.00	20
48	16/0.2	0.50	990.00	30	1975.00	20
49	24/0.2	0.75	1420.00	25	2840.00	16
50	32/0.2	1.00	1900.00	20	3710.00	12
51	22/0.2	1.50	2500.00	15	4985.00	10

FLEXIBLE ALLOY WIRE

PVC Insulated Wire with Alloy Conductor					
S. No.	Normal Area Of Conductor (Sq. Mm.)	Rate (in Rs.) Per 45 Mtrs.(Alloy)	Pkg. (Coils)	Rate (in Rs.) Per 90 Mtrs.(Alloy)	Pkg. (Coils)
59	14/76	155.00	40	305.00	24
60	18/76	190.00	40	370.00	24
61	23/76	225.00	40	440.00	20
62	30/76	265.00	35	525.00	20
63	40/76	335.00	25	665.00	16
64	50/76	410.00	20	810.00	12

PARALLEL FLAT WIRE

PVC Insulated Wire with Copper Conductor						
S.NO.	Normal Area Of Conductor (in sq.mm)	No. & Dimension (in mm.)	Rate (in Rs.) Per 45 Mtrs. (Copper) M.R.P.	Pkg. (Coils)	Rate (in Rs.) Per 90 Mtrs.(Copper) M.R.P.	Pkg. (Coils)
69	7/0.9	07/0.7	500.00	40	990.00	30
70	7/0.10	7/0.8	695.00	35	1350.00	25
71	7/0.12	7/0.10	960.00	30	1900.00	16
72	7/0.14	7/0.12	1280.00	25	2540.00	15

FLEXIBLE ALLOY WIRE

PVC Insulated Wire with Alloy Conductor(Transparent)						
S.No.	Normal Area Of Conductor (Sq. Mm.)	No. & Dimension In Mtrs.	Rate (in Rs. Per 45 Mtrs.)	Pkg.(Coils)	Rate (In Rs. Per 90 Mtrs.)	Pkg. (Coils)
73	18/76	18/40	290.00	16	575.00	24
74	23/76	23/40	345.00	14	675.00	20
75	30/76	30/40	398.00	12	785.00	16
76	40/76	40/40	505.00	10	995.00	12
77	50/76	50/40	605.00	10	1175.00	10